









Innovation  
that excites

# NISSAN NAVARA

## DUAL CAB SPECIFICATIONS

### Specifications

	Dual Cab RX Pick Up 4x2	Dual Cab ST Pick Up 4x2	Dual Cab ST-X Pick Up 4x2	Dual Cab RX Cab Chassis 4x4	Dual Cab RX Pick Up 4x4	Dual Cab SL Pick Up 4x4	Dual Cab ST Pick Up 4x4	Dual Cab ST-X Pick Up 4x4
Door ajar warning light (all doors)	•	•	•	•	•	•	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•	•	•	•	•	•
Vehicle Security System (VSS) alarm	•	•	•	•	•	•	•	•

### Exterior

Alloy sports bar with integrated high mounted stop light		•	•				•	•
Privacy glass (second row & rear window)	•	•	•	•	•	•	•	•
Halogen headlights with silver bezel	•			•	•			
LED projector headlights with black bezel		•	•			•	•	•
Front fog lights		•	•				•	•
2 channel Utili-Track™ system			•					•
Tie-down points inside bed (4)	•	•			•	•	•	
12V outlet inside bed	•	•	•		•	•	•	•
Protective tubliner			•					•
Side steps		•	•			•	•	•
Roof rails			•					•
Antenna	•	•	•	•	•	•	•	•
Black door mirrors						•		
Chrome door mirrors	•	•	•	•	•		•	•
Door mirrors with power adjustment & manual folding	•			•	•	•		
Heated door mirrors with power adjustment & manual folding		•					•	
Heated door mirrors with power adjustment/folding & integrated LED indicator lights			•					•
Front bumper body colour	•	•	•	•	•	•	•	•
Chrome rear bumper with step	•	•	•		•	•	•	•
Black door handles						•		
Chrome door handles	•	•	•	•	•		•	•
V-Motion chrome front grille	•	•	•	•	•	•	•	•
Sunroof (electric one-touch power tilt & slide)								Opt B
Rear power sliding window	•	•	•	•	•	•	•	•
Rear spoiler with protective finisher	•	•	•		•	•	•	•
Front mudflaps				•				
Front and rear mudflaps	•	•	•		•	•	•	•
Front towing hook	•	•	•	•	•	•	•	•
Lockable fuel lid				•				
Electromagnetic lockable fuel lid	•	•	•		•	•	•	•
Manual lockable rear tailgate (key)	•	•	•		•	•	•	•

### Colours

Polar White (QM1)	S	S		S	S	S	S	
Burning Red (AX6)	S	S	S	S	S	S	S	S
Cosmic Black (G42)	S	S	S	S	S	S	S	S
Brilliant Silver (K23) *	P	P	P	P	P	P	P	P
Deep Sapphire (RAA)*	P	P	P	P	P	P	P	P
Hornet Gold (EAU)*		P	P				P	P
Slate Grey (K21)*		P	P				P	P
White Diamond (QX1)*			P					P

### myNissan Ownership

myNissan Service Certainty <sup>M</sup>	•	•	•	•	•	•	•	•
5 year / unlimited kms Warranty <sup>**</sup>	•	•	•	•	•	•	•	•
5 year 24-Hour Roadside Assistance Program <sup>**</sup>	•	•	•	•	•	•	•	•
Genuine Nissan Extended Warranty <sup>◊</sup>	Opt	Opt	Opt	Opt	Opt	Opt	Opt	Opt

Opt Optional

Opt A Leather accented\* seat option pack

Opt B Sunroof option pack

Not available

• Standard

S Standard paint

P Premium paint available at extra cost



Innovation  
that excites

# NISSAN NAVARA

## DUAL CAB SPECIFICATIONS

Diesel	
Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

\*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.

~ Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.

Δ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.

\* Indicates a premium paint, which is available at extra cost.

∞ Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sub>2</sub> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.

† Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.



Interior Cloth seat trim.



Interior Leather accented seat trim<sup>‡</sup>  
(Optional on ST-X).

# Gross Combined Mass with braked trailer.

^ iPod is a registered trade mark of Apple Inc.

‡ Leather accented features and upholstery may contain synthetic material.

<sup>m</sup> Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit [nissan.com.au/service](http://nissan.com.au/service) to find out more and for full terms and conditions.

<sup>++</sup> New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See [nissan.com.au](http://nissan.com.au) for more details.

<sup>††</sup> Terms and conditions apply, please visit [nissan.com.au/roadsideassistance](http://nissan.com.au/roadsideassistance).

◇ Conditions apply. Ask your Nissan Dealer or visit [nissan.com.au](http://nissan.com.au) for full terms and conditions.

## NISSAN FINANCIAL SERVICES

For more information please visit [nissan.com.au/owners](http://nissan.com.au/owners), ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure are for Series IV Navara models (April 2019 production onwards), and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated July 2019. NAV1036

Follow us: @Nissan\_Aus

Like us: Nissan

Check out: NissanAustralia Channel





Innovation  
that excites

# NISSAN NAVARA

## N-TREK SPECIFICATIONS

### Specifications

	Dual Cab Pick Up 4x4 N-TREK
<b>Engine</b>	
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC	•
Displacement (cc)	2298
Bore x stroke (mm)	85.0 x 101.3
Maximum power (kW@rpm)	140@3750
Maximum torque (Nm@rpm)	450@1500-2500
Common rail direct injection	•
<b>Transmission</b>	
6-speed manual	•
7-speed automatic with manual mode	Opt
Transfer case - Dual range 4x4 with electronic 4WD selection	•
Ratio 1st (manual/automatic)	4.685/4.886
Ratio 2nd (manual/automatic)	2.478/3.169
Ratio 3rd (manual/automatic)	1.623/2.027
Ratio 4th (manual/automatic)	1.207/1.411
Ratio 5th (manual/automatic)	1.000/1.000
Ratio 6th (manual/automatic)	0.808/0.864
Ratio 7th (automatic)	0.774
Ratio Reverse (manual/automatic)	4.709/4.041
Final drive (manual/automatic)	3.692/3.357
Transfer ratio - low	2.717
Transfer ratio - high	1.000
<b>Dimensions</b>	
Overall length (mm)	5255
Overall width (excluding mirrors) (mm)	1850
Overall height (mm)	1855
Wheelbase (mm)	3150
Track front/rear (mm)	1570/1570
Min. turning circle (kerb to kerb) (m)	12.4
Ground clearance unladen (mm)	228
Overhang - front	870
Overhang - rear	1235
Approach angle (degrees)	33.2
Departure angle (degrees)	28.2
Ramp breakover angle (degrees)	24.7
Cargo Bed - length floor (mm)	1503
Cargo Bed - length top (mm)	1465
Cargo Bed - width floor (mm)	1560
Cargo Bed - width top (mm)	1490
Cargo Bed - width between wheel arches (mm)	1130
Cargo Bed - tailgate opening width (mm)	1360
Cargo Bed - height (mm)	474
<b>Weights</b>	
Gross Vehicle Mass (GVM**) (kg)	2910
Gross Combined Mass (GCM#) (kg)	5910
Kerb mass- manual/automatic (kg)	1987/1993
Payload Δ manual/automatic (kg)	923/917
Gross front axle (kg)	1320
Gross rear axle (kg)	1700
<b>Towing Capacity<sup>1</sup></b>	
Trailer without brakes (kg)	750
Trailer with brakes (kg)	3500
Towball download (kg)	See table
<b>Fuel</b>	
Recommended fuel type (minimum)	Diesel
Fuel tank capacity (litres)	80
Fuel consumption (combined ADR 81/02) (manual/ automatic) (l/100km) ∞	6.5/7.0
CO2 emissions (manual/automatic) (g/km)∞	172/186



Innovation  
that excites

# NISSAN NAVARA

## N-TREK SPECIFICATIONS

### Specifications

	Dual Cab Pick Up 4x4 N-TREK
<b>Mechanical</b>	
Front brakes - ventilated discs	•
Rear brakes - drum	•
Front suspension - Independent double-wishbone with front stabiliser bar	•
Rear suspension - 5-link with shock absorber	•
Power steering	•
<b>Wheels/Tyres</b>	
Black 18" alloy wheels with 255/60R18 tyres	•
Full-size spare wheel (alloy)	•
<b>Interior</b>	
Seating capacity	5
Partial Leather accented+ seat trim with orange fabric seat inserts and orange accent stitch	•
8-way driver seat with power slide/recline/height adjustment & power lumbar support	•
4-way front passenger seat with manual slide & recline	•
Heated front seats	•
Flip up rear seats	•
8" Colour Touchscreen with Apple CarPlay® and Android Auto®	•
Satellite Navigation	•
AM/FM radio, AUX & USB/iPod® connectivity	•
Bluetooth® handsfree phone system via steering wheel controls	•
Bluetooth® audio streaming	•
Steering wheel audio controls	•
Speakers	6
Air-conditioning with dual zone climate control	•
Rear air vents in centre console	•
Leather accented+ steering wheel with orange accent stitch	•
Intelligent Key™ with remote keyless entry	•
Push button engine start	•
Illuminated ignition switch	•
Cruise control	•
Day/night rear view mirror with electric anti-dazzle & compass	•
Power windows with driver auto up/down button	•
Rear power sliding window	•
Rear window demister	•
12 volt power socket (3)	•
Floor carpet - front and rear	•
Carpet floor mats - front and rear	•
Front headrests with up/down adjustment	•
Second row headrests (2)	•
Front passenger assist grips (2)	•
Second row passenger assist grips (2)	•
Manual tilt adjustable steering column	•
Chrome interior door handles	•
Centre console storage	•
Glove compartment	•
Dashboard upper storage tray	•
Front door storage pockets	•
Rear door storage pockets	•
Front row cup holders (4) & bottle holders (2)	•
Second row bottle holders (2)	•
Driver and front passenger seat back pockets	•
Sunglasses holder (overhead console)	•
Driver & front passenger sun visors with illuminated vanity mirrors	•
Front map lights (2)	•
Interior room light	•
Door operated interior lights	•
Front map lights (2)	•
Door operated interior lights	•



Innovation  
that excites

# NISSAN NAVARA

## N-TREK SPECIFICATIONS

### Specifications

	Dual Cab Pick Up 4x4 N-TREK
<b>Instrumentation</b>	
Speedometer, tachometer, odometer, trip meter	•
Advanced Drive-Assist™ Display (inc. Instant & average fuel economy, distance to empty, average speed)	•
Digital clock	•
Ambient temperature display	•
<b>Safety/Security</b>	
Around View® Monitor	•
Reversing camera - in audio display	•
Reversing sensors	•
Driver & front passenger front-impact SRS airbags	•
Driver & front passenger side-impact SRS airbags	•
Front to rear SRS curtain airbags	•
Driver knee airbag	•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•
Traction Control System (TCS)	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•
Active Brake Limited Slip (ABLS)	•
Brake Assist (BA)	•
Hill Start Assist (HSA)	•
Hill Descent Control (HDC)	•
Electronic rear differential lock	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•
Driver & front passenger seatbelt height adjustment	•
Driver & front passenger seatbelt warning	•
Second row seatbelt alert	•
Second row child anchorage points (3)	•
ISOFIX (second row RH/LH)	•
Automatic on/off headlights - twilight detection	•
LED signature daytime running lights	•
LED high mounted stop light	•
Collapsible steering column	•
Child safety rear door locks	•
Door side intrusion bars	•
Front variable intermittent windscreen wipers	•
Door ajar warning light (all doors)	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•
Vehicle Security System (VSS) alarm	•
<b>Exterior</b>	
Black fender flares	•
Black alloy sports bar with integrated high mounted stop light	•
LED projector headlights with black bezel	•
Front fog lights with black bezel	•
Black side steps with orange accent line	•
Black lower front fascia with orange accent line	•
Black door mirror caps with orange accent line	•
Black V-Motion front grille	•
Black rear bumper with step	•
Black Roof rails	•
Black door handles	•
N-TREK decal (front, rear doors and rear tub)	•
N-TREK tailgate badge	•
Privacy glass (second row & rear window)	•
Heated door mirrors with power adjustment/folding & integrated LED indicator lights	•
Protective tubliner	•
2 channel Utili-Track™ system	•
12V outlet inside bed	•
Front bumper body colour	•
Rear spoiler with protective finisher	•
Front and rear mudflaps	•
Antenna	•





Innovation  
that excites

# NISSAN NAVARA

## N-TREK SPECIFICATIONS

### Specifications

	Dual Cab Pick Up 4x4 N-TREK
Front towing hook	•
Electromagnetic lockable fuel lid	•
Manual lockable rear tailgate (key)	•

Colours	
Cosmic Black (G42)	S
Slate Grey (K21)*	P
White Diamond (QX1)*	P

myNissan Ownership	
myNissan Service Certainty <sup>M</sup>	•
5 year / unlimited kms Warranty <sup>++</sup>	•
5 year 24-Hour Roadside Assistance Program <sup>††</sup>	•
Genuine Nissan Extended Warranty <sup>◇</sup>	Opt

Standard
  S Standard paint
  P Premium paint available at extra cost

Diesel	
Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

- .. GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- ^ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- Indicates a premium paint, which is available at extra cost.
- ^ Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sub>2</sub> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.
- † Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.
- ^ Gross Combined Mass with braked trailer.
- ^ iPod is a registered trade mark of Apple Inc.
- ^ Leather accented features and upholstery may contain synthetic material.
- ^ Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit [nissan.com.au/service](http://nissan.com.au/service) to find out more and for full terms and conditions.
- ^ New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See [nissan.com.au](http://nissan.com.au) for more details.
- ^ Terms and conditions apply, please visit [nissan.com.au/roadsideassistance](http://nissan.com.au/roadsideassistance).
- ◇ Conditions apply. Ask your Nissan Dealer or visit [nissan.com.au](http://nissan.com.au) for full terms and conditions.



Interior Cloth seat trim.

## NISSAN FINANCIAL SERVICES

For more information please visit [nissan.com.au/owners](http://nissan.com.au/owners), ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure are for Series IV Navara models (April 2019 production onwards), and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated July 2019. NAV1036

Follow us: @Nissan\_Aus

Like us: Nissan

Check out: NissanAustralia Channel





Innovation  
that excites

# NISSAN NAVARA KING CAB SPECIFICATIONS

## Specifications

	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
<b>Engine</b>					
YS23DDTT 2.3 litre intercooled twin turbo-diesel, DOHC				•	•
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•	•	•		
Displacement (cc)	2298	2298	2298	2298	2298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	120@3750	120@3750	120@3750	140@3750	140@3750
Maximum torque (Nm@rpm)	403@1500-2500	403@1500-2500	403@1500-2500	450@1500-2500	450@1500-2500
Common rail direct injection	•	•	•	•	•
<b>Transmission</b>					
6-speed manual	•	•	•	•	•
7-speed automatic with manual mode				Opt	Opt
Transfer case - Dual range 4x4 with electronic 4WD selection		•	•	•	•
Ratio 1st (manual/automatic)	4.685	4.685	4.685	4.685/4.886	4.685/4.886
Ratio 2nd (manual/automatic)	2.478	2.478	2.478	2.478/3.169	2.478/3.169
Ratio 3rd (manual/automatic)	1.623	1.623	1.623	1.623/2.027	1.623/2.027
Ratio 4th (manual/automatic)	1.207	1.207	1.207	1.207/1.411	1.207/1.411
Ratio 5th (manual/automatic)	1.000	1.000	1.000	1.000/1.000	1.000/1.000
Ratio 6th (manual/automatic)	0.808	0.808	0.808	0.808/0.864	0.808/0.864
Ratio 7th (automatic)				0.774	0.774
Ratio Reverse (manual/automatic)	4.709	4.709	4.709	4.709/4.041	4.709/4.041
Final drive (manual/automatic)	3.538	3.538	3.538	3.692/3.357	3.692/3.357
Transfer ratio - low		2.717	2.717	2.717	2.717
Transfer ratio - high		1.000	1.000	1.000	1.000
<b>Dimensions</b>					
Overall length (mm)	5120	5120	5255	5255	5255
Overall width (excluding mirrors) (mm)	1790	1790	1790	1850	1850
Overall height (mm)	1755	1780	1770	1780	1780
Wheelbase (mm)	3150	3150	3150	3150	3150
Track front/rear (mm)	1550/1550	1550/1550	1550/1550	1570/1570	1570/1570
Min. turning circle (kerb to kerb) (m)	11.8	11.8	11.8	12.4	12.4
Ground clearance unladen (mm)	202	217	218	229	230
Overhang - front (mm)	870	870	870	870	870
Overhang - rear (mm)	1100	1100	1235	1235	1235
Approach angle (degrees)	31.7	32.5	32.5	32.2	32.4
Departure angle (degrees)	24.8	25.9	25.9	26.5	26.7
Ramp breakover angle (degrees)	21.3	22.7	22.7	23.7	23.9
Cargo Bed - length floor (mm)			1788	1788	1788
Cargo Bed - length top (mm)			1750	1750	1750
Cargo Bed - width floor (mm)			1560	1560	1560
Cargo Bed - width top (mm)			1490	1490	1490
Cargo Bed - width between wheel arches (mm)			1130	1130	1130
Cargo Bed - tailgate opening width (mm)			1360	1360	1360
Cargo Bed - height (mm)			474	474	474
<b>Weights</b>					
Gross Vehicle Mass (GVM**) (kg)	2910	2910	2910	2910	2910
Gross Combined Mass (GCM <sup>1</sup> ) (kg)	5910	5910	5910	5910	5910
+6kg with leather accented* seat option pack on ST-X AT					
Kerb mass <sup>2</sup> manual/automatic (kg)	1654	1731	1867	1915/1918	1939/1943
-6kg with leather accented* seat option pack on ST-X AT					
Payload <sup>3</sup> manual/automatic (kg)	1256	1179	1043	995/992	971/967
Gross front axle (kg)	1320	1320	1320	1320	1320
Gross rear axle (kg)	1750	1750	1750	1750	1700
<b>Towing Capacity<sup>1</sup></b>					
Trailer without brakes (kg)	750	750	750	750	750
Trailer with brakes (kg)	3500	3500	3500	3500	3500
Towball download (kg)	See table	See table	See table	See table	See table
<b>Fuel</b>					
Recommended fuel type	Diesel	Diesel	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km) <sup>4</sup>	6.4	6.6	6.6	6.5/7.0	6.5/7.0
CO <sub>2</sub> emissions (manual/automatic) (g/km) <sup>4</sup>	169	174	174	172/186	172/186



Innovation  
that excites

# NISSAN NAVARA

## KING CAB SPECIFICATIONS

### Specifications

	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
<b>Mechanical</b>					
Front brakes - ventilated discs	•	•	•	•	•
Rear brakes - drum	•	•	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•	•	•
Rear suspension - Leaf spring	•	•	•	•	•
Power steering	•	•	•	•	•
<b>Wheels/Tyres</b>					
16" steel wheels with 205/R16C tyres	•	•	•		
16" alloy wheels with 255/70R16 tyres				•	
18" alloy wheels with 255/60R18 tyres					•
Full-size spare wheel (steel)	•	•	•	•	
Full-size spare wheel (alloy)					•
<b>Interior</b>					
Seating capacity	4	4	4	4	4
6-way driver seat with manual slide/recline/height adjustment	•	•	•	•	•
8-way driver seat with power slide/recline/height adjustment & power lumbar support					Opt A (AT only)
Heated front seats					Opt A (AT only)
Leather accented* seat trim					Opt A (AT only)
4-way front passenger seat with manual slide & recline	•	•	•	•	•
Front headrests with up/down adjustment	•	•	•	•	•
Second row headrests (2)	•	•	•	•	•
Cloth seat trim	•	•	•	•	•
Flip up rear seats	•	•	•	•	•
AM/FM radio, AUX & USB/iPod* connectivity	•	•	•	•	•
Satellite Navigation				•	•
Steering wheel audio controls	•	•	•	•	•
8" Colour Touchscreen with Apple CarPlay® and Android Auto®				•	•
Single CD player	•	•	•		
Speakers	4	4	4	4	4
Bluetooth* handsfree phone system via steering wheel controls	•	•	•	•	•
Bluetooth* audio streaming	•	•	•	•	•
Cruise control	•	•	•	•	•
Manual tilt adjustable steering column	•	•	•	•	•
Air-conditioning	•	•	•	•	
Air-conditioning with dual zone climate control					•
Rear air vents in centre console	•	•	•	•	•
Remote keyless entry	•	•	•	•	
Intelligent Key™ with remote keyless entry					•
Push button engine start					•
Urethane steering wheel & shift lever	•	•	•		
Leather accented† steering wheel				•	•
Front chrome interior door handles	•	•	•	•	•
Front passenger assist grips (2)	•	•	•	•	•
Centre console storage	•	•	•	•	•
Glove compartment	•	•	•	•	•
Dashboard upper storage tray	•	•	•	•	•
Front door storage pockets	•	•	•	•	•
Rear door storage pockets	•	•	•	•	•
Front row cup holders (4) & bottle holders (2)	•	•	•	•	•
Driver and front passenger seat back pockets					Opt A (AT only)
Driver & front passenger sun visors with illuminated vanity mirrors	•	•	•	•	•
Sunglasses holder (overhead console)	•	•	•	•	•
Power windows with driver auto up/down button	•	•	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•			
Day/night rear view mirror with electric anti-dazzle & compass			• (w/o compass)	•	•
Front map lights (2)	•	•	•	•	•
Interior room light	•	•	•	•	•
Door operated interior lights	•	•	•	•	•
Illuminated ignition switch					•
Rear window demister	•	•	•	•	•



Innovation  
that excites

# NISSAN NAVARA

## KING CAB SPECIFICATIONS

### Specifications

	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
12 volt power socket (3)	•	•	•	•	•
Floor carpet - front and rear	•	•	•	•	•
Carpet floor mats - front and rear					•
<b>Instrumentation</b>					
Speedometer, tachometer, odometer, trip meter	•	•	•	•	•
Advanced Drive-Assist™ Display (inc: Instant & average fuel economy, distance to empty, average speed)				•	•
Instant to average fuel economy, distance to empty	•	•	•		
Digital clock	•	•	•	•	•
Ambient temperature display	•	•	•	•	•
<b>Safety/Security</b>					
Reversing camera - in rear view mirror			•		
Reversing camera - in audio display				•	•
Reversing sensors					•
Around View® Monitor					•
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•	•	•
Traction Control System (TCS)	•	•	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•	•	•	•	•
Active Brake Limited Slip (ABLS)		•	•	•	•
Brake Assist (BA)	•	•	•	•	•
Hill Start Assist (HSA)					•
Hill Descent Control (HDC)					•
Electronic rear differential lock				•	•
Driver & front passenger front-impact SRS airbags	•	•	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•	•	•
Driver knee airbag	•	•	•	•	•
Front to rear SRS curtain airbags	•	•	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•	•	•
Driver & front passenger seatbelt warning	•	•	•	•	•
Second row seatbelt alert	•	•	•	•	•
Daytime running lights	•	•	•		
LED signature daytime running lights				•	•
Automatic on/off headlights - twilight detection	•	•	•	•	•
LED high mounted stop light	•	•	•	•	•
Collapsible steering column	•	•	•	•	•
Door side intrusion bars	•	•	•	•	•
Front variable intermittent windscreen wipers	•	•	•	•	•
Door ajar warning light (all doors)	•	•	•	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•	•	•
Vehicle Security System (VSS) alarm	•	•	•	•	•
<b>Exterior</b>					
Alloy sports bar with integrated high mounted stop light				•	•
Privacy glass (second row & rear window)	•	•	•	•	•
Halogen headlights with silver bezel	•	•	•		
LED projector headlights with black bezel				•	•
Front fog lights				•	•
2 channel Utili-Track™ system					•
Tie-down points inside bed (4)			•	•	
12V outlet inside bed			•	•	•
Protective tubliner					•
Side steps				•	•
Antenna	•	•	•	•	•
Chrome door mirrors	•	•	•	•	•
Door mirrors with power adjustment & manual folding	•	•	•		
Heated door mirrors with power adjustment & power folding & integrated LED indicator lights				•	•
Front bumper body colour	•	•	•	•	•
Chrome rear bumper with step			•	•	•
Chrome door handles	•	•	•	•	•
V-Motion chrome front grille	•	•	•	•	•
Rear power sliding window	•	•	•	•	•



Innovation  
that excites

# NISSAN NAVARA

## KING CAB SPECIFICATIONS

### Specifications

	King Cab RX Cab Chassis 4x2	King Cab RX Cab Chassis 4x4	King Cab RX Pick Up 4x4	King Cab ST Pick Up 4x4	King Cab ST-X Pick Up 4x4
Rear spoiler with protective finisher			•	•	•
Front mudflaps	•	•			
Front and rear mudflaps			•	•	•
Front towing hook	•	•	•	•	•
Lockable fuel lid	•	•			
Electromagnetic lockable fuel lid			•	•	•
Manual lockable rear tailgate (key)			•	•	•

### Colours

Polar White (QM1)	S	S	S	S	
Burning Red (AX6)	S	S	S	S	S
Cosmic Black (G42)	S	S	S	S	S
Brilliant Silver (K23) *	P	P	P	P	P
Deep Sapphire (RAA)*	P	P	P	P	P
Hornet Gold (EAU)*				P	P
Slate Grey (K21)*				P	P
White Diamond (OX1)*					P

### myNissan Ownership

myNissan Service Certainty <sup>M</sup>	•	•	•	•	•
5 year/unlimited kms Warranty <sup>**</sup>	•	•	•	•	•
5 year 24-Hour Roadside Assistance Program <sup>**</sup>	•	•	•	•	•
Genuine Nissan Extended Warranty <sup>◇</sup>	Opt	Opt	Opt	Opt	Opt

Opt Optional

Opt A Leather accented\* seat option pack

Not available

• Standard

S Standard paint

P Premium paint available at extra cost



Innovation that excites

# NISSAN NAVARA KING CAB SPECIFICATIONS

Diesel	
Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.

\*\* GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.

- Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.

Δ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.

\* Indicates a premium paint, which is available at extra cost.

† Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sup>2</sup> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.

‡ Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.

^ iPod is a registered trade mark of Apple Inc.

° Gross Combined Mass with braked trailer.

\* Leather accented features and upholstery may contain synthetic material.

Δ<sup>AS</sup> Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit [nissan.com.au/service](http://nissan.com.au/service) to find out more and for full terms and conditions.

†† New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See [nissan.com.au](http://nissan.com.au) for more details.

††† Terms and conditions apply, please visit [nissan.com.au/roadsideassistance](http://nissan.com.au/roadsideassistance).

° Conditions apply. Ask your Nissan Dealer or visit [nissan.com.au](http://nissan.com.au) for full terms and conditions.



Interior Cloth seat trim.



Interior Leather accented seat trim<sup>†</sup> (Optional on ST-X).

## NISSAN FINANCIAL SERVICES

For more information please visit [nissan.com.au/owners](http://nissan.com.au/owners), ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure are for Series IV Navara models (April 2019 production onwards), and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated July 2019. NAV0136

Follow us: @Nissan\_Aus

Like us: Nissan

Check out: NissanAustralia Channel





Innovation  
that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

### Specifications

	Single Cab RX Cab Chassis 4x2	Single Cab DX Cab Chassis 4x4	Single Cab RX Cab Chassis 4x4
<b>Engine</b>			
YS23DDT 2.3 litre intercooled single turbo-diesel, DOHC	•	•	•
Displacement (cc)	2298	2298	2298
Bore x stroke (mm)	85.0 x 101.3	85.0 x 101.3	85.0 x 101.3
Maximum power (kW@rpm)	120@3750	120@3750	120@3750
Maximum torque (Nm@rpm)	403@1500-2500	403@1500-2500	403@1500-2500
Common rail direct injection	•	•	•
<b>Transmission</b>			
6-speed manual	•	•	•
7-speed automatic with manual mode			Opt
Transfer case - Dual range 4x4 with electronic 4WD selection		•	•
Ratio 1st (manual/automatic)	4.685	4.685	4.685/4.886
Ratio 2nd (manual/automatic)	2.478	2.478	2.478/3.169
Ratio 3rd (manual/automatic)	1.623	1.623	1.623/2.027
Ratio 4th (manual/automatic)	1.207	1.207	1.207/1.411
Ratio 5th (manual/automatic)	1.000	1.000	1.000/1.000
Ratio 6th (manual/automatic)	0.808	0.808	0.808/0.864
Ratio 7th (automatic)			0.774
Ratio Reverse (manual/automatic)	4.709	4.709	4.709/4.041
Final drive (manual/automatic)	3.538	3.357	3.538/3.357
Transfer ratio - low		2.717	2.717
Transfer ratio - high		1.000	1.000
<b>Dimensions</b>			
Overall length (mm)	5120	5120	5120
Overall width (excluding mirrors) (mm)	1790	1790	1790
Overall height (mm)	1755	1750	1775
Wheelbase (mm)	3150	3150	3150
Track front/rear (mm)	1550/1550	1560/1560	1550/1550
Min. turning circle (kerb to kerb) (m)	11.8	11.8	11.8
Ground clearance unladen (mm)	206	195	221
Overhang - front (mm)	870	870	870
Overhang - rear (mm)	1100	1100	1100
Approach angle (degrees)	31.6	30.8	32.4
Departure angle (degrees)	23.3	23.3	24.3
Ramp breakover angle (degrees)	21.5	20.9	22.8
<b>Weights</b>			
Gross Vehicle Mass (GVM) <sup>1</sup> (kg)	2910	2800	2910
Gross Combined Mass (GCM) <sup>2</sup> (kg)	5910	5910	5910
Kerb mass <sup>3</sup> - manual/automatic (kg)	1553	1607	1631/1638
Payload <sup>4</sup> - manual/automatic (kg)	1357	1193	1279/1272
Gross front axle (kg)	1320	1320	1320
Gross rear axle (kg)	1750	1700	1750
<b>Towing Capacity<sup>5</sup></b>			
Trailer without brakes (kg)	750	750	750
Trailer with brakes (kg)	3500	3500	3500
Towball download (kg)	See table	See table	See table
<b>Fuel</b>			
Recommended fuel type (minimum)	Diesel	Diesel	Diesel
Fuel tank capacity (litres)	80	80	80
Fuel consumption (combined ADR 81/02) (manual/automatic) (l/100km) <sup>6</sup>	6.4	6.6	6.6/7.1
CO <sub>2</sub> emissions (manual/automatic) (g/km) <sup>7</sup>	169	174	174/187
<b>Mechanical</b>			
Front brakes - ventilated discs	•	•	•
Rear brakes - drum	•	•	•
Front suspension - Independent double-wishbone with front stabiliser bar	•	•	•
Rear suspension - Leaf spring	•	•	•
Power steering	•	•	•



Innovation  
that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

### Specifications

	Single Cab RX Cab Chassis 4x2	Single Cab DX Cab Chassis 4x4	Single Cab RX Cab Chassis 4x4
<b>Wheels/Tyres</b>			
15" steel wheels with 195/R15C tyres		•	
16" steel wheels with 205/R16C tyres	•		•
Full-size spare wheel (steel)	•	•	•
<b>Interior</b>			
Seating capacity	2	2	2
6-way driver seat with manual slide/recline/height adjustment	•	•	•
4-way front passenger seat with manual slide & recline	•	•	•
Front Headrests with up/down adjustment	•	•	•
Seat trim	Cloth	Cloth	Cloth
Single CD player, AM/FM radio, AUX & USB/iPod <sup>A</sup> connectivity	•	•	•
Steering wheel audio controls	•	•	•
Speakers	4	4	4
Bluetooth <sup>®</sup> handsfree phone system via steering wheel controls	•	•	•
Bluetooth <sup>®</sup> audio streaming	•	•	•
Cruise control	•	•	•
Manual tilt adjustable steering column	•	•	•
Air-conditioning	•	•	•
Remote keyless entry	•	•	•
Urethane steering wheel & shift lever	•	•	•
Front Black interior door handles		•	
Front Chrome interior door handles	•		•
Front passenger assist grips (2)	•	•	•
Centre console storage	•	•	•
Glove compartment	•	•	•
Dashboard upper storage tray	•	•	•
Front Door storage pockets	•	•	•
Front row Cup holders (4) & bottle holders (2)	•	•	•
Driver & front passenger sun visors	•	•	•
Driver & front passenger illuminated vanity mirrors	•	•	•
Sunglasses holder (overhead console)	•	•	•
Power windows with driver auto up/down	•	•	•
Day/night rear view mirror with manual anti-dazzle	•	•	•
Front map lights (2)	•	•	•
Door operated interior lights	•	•	•
Rear window demister	•	•	•
12 volt power socket (3)	•	•	•
Vinyl floor covering	•	•	•
<b>Instrumentation</b>			
Speedometer, tachometer, odometer, trip meter	•	•	•
Instant to average fuel economy, distance to empty	•	•	•
Digital clock	•	•	•
Ambient temperature display	•	•	•
<b>Safety/Security</b>			
Anti-lock Braking System (ABS) and Electronic Brakeforce Distribution (EBD)	•	•	•
Traction Control System (TCS)	•	•	•
Vehicle Dynamic Control (VDC) with Brake Limited Slip Differential (BLSD)	•	•	•
Active Brake Limited Slip (ABLS)		•	•
Brake Assist (BA)	•	•	•
Driver & front passenger front-impact SRS airbags	•	•	•
Driver & front passenger side-impact SRS airbags	•	•	•
Driver knee airbag	•	•	•
SRS curtain airbags	•	•	•
3-point Emergency Locking Retractor (ELR) seatbelts (all seats)	•	•	•
Driver & front passenger seatbelts with load limiters & pre-tensioners	•	•	•
Driver & front passenger seatbelt height adjustment	•	•	•
Driver & front passenger seatbelt warning	•	•	•
Daytime running lights	•	•	•





Innovation  
that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

### Specifications

	Single Cab RX Cab Chassis 4x2	Single Cab DX Cab Chassis 4x4	Single Cab RX Cab Chassis 4x4
Automatic on/off headlights - twilight detection	•	•	•
LED high mounted stop light	•	•	•
Collapsible steering column	•	•	•
Door side intrusion bars	•	•	•
Front variable intermittent windscreen wipers	•	•	•
Door ajar warning light (all doors)	•	•	•
Nissan Anti-Theft System (NATS) vehicle immobiliser	•	•	•
Vehicle Security System (VSS) alarm	•		•

### Exterior

Halogen headlights with silver bezel	•	•	•
Antenna	•	•	•
Black door mirrors		•	
Chrome door mirrors	•		•
Door mirrors with power adjustment & manual folding	•	•	•
Front bumper body colour	•	•	•
Black door handles		•	
Chrome door handles	•		•
V-Motion silver finish front grille		•	
V-Motion chrome front grille	•		•
Front mudflaps	•	•	•
Front towing hook	•	•	•
Lockable fuel lid	•	•	•

### Colours

Polar White (QM1)	S	S	S
Brilliant Silver (K23) *	P	P	P

### myNissan Ownership

myNissan Service Certainty <sup>M</sup>	•	•	•
5 year / unlimited kms Warranty <sup>**</sup>	•	•	•
5 year 24-Hour Roadside Assistance Program <sup>**</sup>	•	•	•
Genuine Nissan Extended Warranty <sup>◇</sup>	Opt	Opt	Opt

Opt   
  Optional   
  Not available   
  • Standard   
  S Standard paint   
  P Premium paint available at extra cost

### Diesel

Towball download	Reduce Loaded Vehicle Mass
0kg	GVM** (All Variants)
100kg	below GVM** by 130kg
200kg	below GVM** by 280kg
300kg	below GVM** by 410kg

If the laden vehicle's mass is reduced as shown in the tables, the towball download can be increased correspondingly. Accordingly, if the laden mass of diesel variants is 410kg less than the GVM\*\*, a towball download of 300kg is approved. Different trailer types and different trailer manufacturers have varying towball downloads. The customer will need to contact the trailer manufacturer for information as to the download. Nissan is not able to make any recommendation on the use or suitability of load-levelling or weight distribution devices to be fitted to the vehicle. Customers should contact the manufacturers of these devices for further information.



Innovation that excites

# NISSAN NAVARA

## SINGLE CAB SPECIFICATIONS

- .. GVM = Gross Vehicle Mass. GVM is the maximum laden mass of a motor vehicle.
- Kerb mass = unladen mass of vehicle with full fuel, excludes tray body for Cab Chassis vehicles.
- Δ Payload is the GVM minus the Kerb mass. The kerb mass does not include passengers, luggage, cargo, any accessories fitted or any towball download (as appropriate). Payload is distributed across both the front and rear axles, never exceed the GVM or the axle limits.
- Indicates a premium paint, which is available at extra cost.
- Figures tested in accordance with ADR81/02 (combined test). Figures stated for the purposes of comparison amongst vehicles only. Actual fuel consumption and CO<sup>2</sup> emissions depends on factors such as traffic conditions, vehicle condition, how you drive and any accessories fitted.
- γ Towing capacity is subject to towbar/towball capacity and vehicle laden condition. The capacity may be reduced if a non genuine Nissan towbar is fitted. The permitted download is directly related to the laden mass of vehicle.
- ^ iPod is a registered trade mark of Apple Inc.
- # Gross Combined Mass with braked trailer.
- ^ Ask your Nissan Dealer to explain exactly what items are covered in each Scheduled Service. Applies for up to 6 years/120,000kms (whichever occurs first). Some exclusions apply. Ask your Nissan Dealer or visit [nissan.com.au/service](http://nissan.com.au/service) to find out more and for full terms and conditions.
- \*\* New Vehicle Warranty expires 60 months from date of first registration. Conditions apply. See [nissan.com.au](http://nissan.com.au) for more details.
- \*\* Terms and conditions apply, please visit [nissan.com.au/roadsideassistance](http://nissan.com.au/roadsideassistance).
- ◇ Conditions apply. Ask your Nissan Dealer or visit [nissan.com.au](http://nissan.com.au) for full terms and conditions.



Interior Cloth seat trim.

## NISSAN FINANCIAL SERVICES

For more information please visit [nissan.com.au/owners](http://nissan.com.au/owners), ask your Nissan Dealer or phone 1800 035 035 during normal AEST business hours.

All illustrations, information and specifications presented and referred to in this brochure are for Series IV Navara models (April 2019 production onwards), and were correct at the time this brochure was approved for printing. The colours in the photographs may vary from actual colours. However, Nissan Motor Co (Australia) Pty. Ltd. reserves the right, subject to the laws of Australia and/or the regulations of any competent authority which may apply from time to time, at its discretion at anytime and without prior notice to discontinue or change the models, features, specifications, designs and prices of the products referred to in this brochure and any optional equipment therefore without incurring any liability whatsoever to any purchaser or prospective purchaser of any such products. Some of the items referred to herein are optional at extra cost. Some options may be required in combination with other options. Always consult your Nissan Dealer for the latest information on models, specifications, features, prices, options and availability. Nissan Motor Co (Australia) Pty. Ltd. ACN 004 663 156. Updated July 2019. NAV1036

Follow us: @Nissan\_Aus

Like us: Nissan

Check out: NissanAustralia Channel

