

Nissan Intelligent Mobility moves you one step ahead. In cars that feel like an extension of you, helping you see more and sense more, reacting with you, and sometimes even for you. Nissan Intelligent Mobility is about a better future – moving us to a world that's safer, more sustainable, and exciting.







A LEGEND is not built on a lap time. Or a 0-60 number. it's built on obsessive attention to detail and a radical belief that a true supercar delivers performance in real-world conditions for anyone, anywhere, anytime. Perfectly refined yet brilliantly capable, in the right hands it can turn the automotive world on its head. The new Nissan GT-R: The ULTIMATE EVERYDAY SUPERCAR.

ANYTIME, ANYWHERE

The GT-R combines massive performance with the refinement of a true Grand Touring machine. The suspension filters out bumps and noise while still telling you everything you need to know. Steering effort is reduced at lower speeds for easier in-town manoeuvring, while still delivering the precision you want. It all adds up to giving you the feeling of absolute confidence as you charge out of a corner with 555 PS and supreme control at your fingertips.

The Nissan GT-R's ground-hugging aerodynamics and powerful brakes allow it to carry speed much later into a corner. But the real key to its speed is the all-wheel drive ability to put the power down much sooner in a corner. Many powerful rear-wheel drive cars usually require the driver to wait untill they exit the corner before applying the power to avoid upsetting the balance of the car. In contrast, the GT-R can power out of the corner sooner and faster.

DYNAMIC BALANCE



Some consider a static 50/50 weight distribution to be perfect for Handiling. However, Nissan engineers have discovered that a 54front/46 rear static ratio is ideal. When under hard acceleration, the weight distribution shifts rearward and becomes an approximate 50/50 balance. This translates into enhanced tyre contact for better acceleration, quicker corner and the sublime handling feel that the GT-R is renowned for.

CHANGE GEAR IN JUST 0.15 SECONDS

The longer a gear change takes, the less time power is being put onto the road. So for maximum acceleration, the GT-R's paddle-shift six-speed sequential dual-clutch transmission performs gear changes in just 0.15 seconds when in R-Mode - almost as fast as a blink of an eye.



(\$\pi\) CSC COMF ESC OFF

Power at your fingertips: Re-designed steering wheel mounted paddle shifters help ensure that a rapid-fire gear change is easily within reach, regardless of steering wheel position.

Two clutches. No clutch pedal. A lightning-quick shift. Inside Nissan GT-R's six-speed dual-clutch transmission, the clutches work together. When the car is in an odd-numbered gear (1st, 3rd, 5th), the even-numbered gear (2nd, 4th, 6th) is pre-selected and ready to make the shift immediately. The transmission is so smart, it even blips the throttle on downshifts to for smoother gear changes.







SURROUNDED BY STYLE There is mastery in every detail in the GT-R. Everything you see and touch is crafted with the highest level of care and attention, whether it is an air vent designed to operate flawlessly for years, or a switch that is subtly etched to enhance its feel. In the new GT-R, luxury and performance go hand-in-hand. The redesigned front seats are lighter than their predecessors as well as being refined for more comfort and support. DUAL (2) A/C Photo: GT-R PREMIUM LUXURY

HIGH RESOLUTION 8" TOUCH SCREEN

Completely redesigned for the new GT-R, the new 8" touchscreen puts all the information you need in a single location, including audio, navigation and the driver-configurable Multi-Function Display system.

THREE-MODE SETUP SYSTEM

For road, track and almost anything in between: GT-R's three-mode system features three switches to allow on-the-move adjustment of the transmission, suspension and Vehicle Dynamic Control. Supercar performance with amazing flexibility - at the flick of a switch.

ROTARY CONTROL

The rotary control on the centre console lets you control key functions through the 8" touchscreen. Just rotate the dial or push it to the left or right to scroll through all the menus and easily select the option you require.



12:00

DHC OIL PRES

SHACK.

(THE) 2 HE 3 HE 4500 SHI (6)

800ST

PRESET 1

ERASING THE LINE WHERE THE DRIVER ENDS AND THE GT-R BEGINS

Special attention to detail makes the Nissan GT-R feel instantly familiar. The number of switches on the dashboard has been reduced from twenty seven to eleven, simplifying the layout. The controls are easy to access, simple to use and intuitively designed to maximise the pure enjoyment of driving.

GT-R PREMIUM LUXURY



■ Bayside Blue (RCB)



Super Silver (KAB)



Gun Metallic (KAD)



■ Vibrant Red (A54)



Storm White (QAB)



■ Pearl Black (GAG)

SEAT COLOR



Urban Grey Semi-aniline leather accented



Amber Red Semi-aniline leather accented



Samurai Black Semi-aniline leather accented



STANDARD EQUIPMENTS AND SPECIFICATIONS

		GT-R
Grade		3.8DETT
		PREMIUM LUXURY
		6-Speed dual clutch transmission
Dimension and weight		
Length	mm.	4,710
Width	mm.	1,895
Height	mm.	1,370
Wheelbase	mm.	2,780
Tread	Front mm.	1,590
	Rear mm.	1,600
Ground clearance	mm.	110
Min turning radius	m.	5.7
Weight	kg.	1,754
Luggage room capacity	L.	315
Engine		
Engine		VR38DETT (twin turbo charge)
Туре		DOHC, continuously variable valve timing control system (CVVTCS)
Injection system		Electronic concentrated control system (ECCS) 32 bit
Bore x stroke	mm.	95.5 x 88.4
Displacement	CC.	3,799
Max power	PS (KW)/rpm	555 (408) / 6,800
Max torque	Nm (kg.m.)/rpm	632 (64.5) / 3,300-5,800
Compression ratio		9,0 : 1
Fuel tank capacity	L.	74
Transmission		
Type		GR6 6-speed dual clutch transmission
	1st gear	4.056
	2 nd gear	2.301
	3 rd gear	1.595
Gear ratio	4 th gear	1.248
	5 th gear	1.001
	6 th gear	0.796
	D	
	Reverse gear	3,383
	Final gear ratio	3,583 3,700
Suspension		3.700
Front		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms
Front Rear		3.700
Front Rear Power steering		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links
Front Rear Power steering System		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms
Front Rear Power steering System Brake		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters
Front Rear Power steering System Brake Front		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front
Front Rear Power steering System Brake Front Rear		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters
Front Rear Power steering System Brake Front Rear Tire and Wheel		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel Size Standard Equipments		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5"
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp		3.700 Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer		Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer Front fog lamp		Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp		Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper • • • •
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp LED rear combination lamp		Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp		Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper • • • •
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer Front fog lamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer Front fog lamp LED clearance lamp LED rear combination lamp Side turning lamp	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer Front fog lamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer Front fog lamp LED clearance lamp LED clearance lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive l-key switch Super wide beam LED with AFS and levellizer and wiper GT-R signature high intensity multi-LED Bumper side mounted
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers Body color door mirror	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design , matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers Body color door mirror Electric adjusting and folding door mirror	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted Dual power folding
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers Body color door mirror Electric adjusting and folding door mirror Rear defogger with timer	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive I-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted Dual power folding
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp Headlamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers Body color door mirror Electric adjusting and folding door mirror Rear defogger with timer GTR emblem	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive l-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted Dual power folding Dual power folding
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp washer Front fog lamp LED clearance lamp LED clearance lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers Body color door mirror Electric adjusting and folding door mirror Rear defogger with timer GTR emblem Diffuser	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multillink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive l-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted
Front Rear Power steering System Brake Front Rear Tire and Wheel Tire size Wheel size Standard Equipments Exterior Front grille Outside door handle Headlamp Headlamp LED clearance lamp LED rear combination lamp Side turning lamp Variable Intermittent front wiper with speed sens Flat blade type front wipers Body color door mirror Electric adjusting and folding door mirror Rear defogger with timer GTR emblem Diffuser Side sill spoiler	Final gear ratio	Independent double wishbone with aluminum (forged) upper links and lower arms Independent multilink with aluminum (forged) upper links Electronically controlled rack & pinion with vehicle-speed-sensitive power assist and paddle shifters Nissan/Brembo braking system, 4-wheel disc brakes, super rigid 6-piston front 4-piston rear monoblock calipers with racecar-inspired 3-point radial mounting Front 255/40ZRF20 / Rear 285/35ZRF20 Front 20"x9.5" / Rear 20"x10.5" With signature V-motion character design, matte chrome finish + mesh pattern Flush mounted aluminum door handles with GT-R exclusive l-key switch Super wide beam LED with AFS and levelizer and wiper GT-R signature high intensity multi-LED Bumper side mounted

STANDARD EQUIPMENTS AND SPECIFICATIONS

	GT-R
	3.8DETT
Grade	PREMIUM LUXURY
	6-Speed dual clutch transmission
Interior	
Seat material	Hand-stitched semi-aniline leather-accented front seats
Instrument panel	Hand-stitched Nappa leather wrapped
Steering wheel	Type 3 spoke - leather with manual adjust (tilt and telescopic) with hand-stitched Nappa leather wrapped
Multi-function power speed sensing steering wheel	Leather wrapped
MID control switch on steering wheel	•
Cruise control	•
Bluetooth control switch on steering wheel	•
Shift knob	Hand-stitched Nappa leather
Central door lock	•
Speed sensing auto door lock	•
Power window with driver anti-jam protection and auto-up down	•
Front seat adjustment (slide & reclining & height)	with power adjust
Center console storage box	•
Multi information meter: odd trip & fuel consumption	
(avg & instantaneous) & cruising range & average speed	•
Ozone safe air conditioning	Automatic with dual zone climate control
Front sun visors with mirror and illumination	•
Map lamp and room lamp	•
Remote keyless entry	•
Intelligent key with Immobilizer	•
Push start button	•
Entertainment System	
In-glass antenna	•
Bose audio system with 8.0" touch panel with CD/tuner/MP3/AUX/USBx2	•
Bluetooth hands-free phone system	•
Bose speakers	11
LCD screen	8"
Safety	
Dual SRS airbags	•
Side airbags	•
Curtain airbags	•
VDC (vehicle dynamic control) with HSA (hill start assist)	•
TCS (traction control system)	•
ABS + EBD + BA	•
Front seat belt : 3 points ELR x 2 with double pretensioner	•
Rear seat belt 3 points ELR x 2	•
Front seatbelt shoulder adjustment	•
Rearview camera	•
Parking sensor: rear monitor	•
Tire pressure monitoring system	With individual tire pressure display
Zone body concept	• •
LED high mount stop lamp	•

Authorized dealer NHPC (Nissan High Performance Center) SIAM NISSAN KRUNGTHAI Address: 350 RAMINTRA ROAD, THARANG, BANGKHEN, BANGKOK 10230 Telephone: 094-449-8144



NISSAN Customer Promises, we always care.

- 1. Transparency and trustworthy. All expenses shall be estimated and ask for your approval before providing a service to you.
- 2. Confidence with a 1-year or 20,000 km of repair service and part warranty.
- 3. Convenience with a free courtesy car*.
- 4. Peace of mind. Our call center and roadside assistance are available 24/7 for free**.

Remarks: *Only for product quality issue that taking time longer than 24 hrs. to repair (excluding service center holidays and normal parts delivery periods with a maximum delivery time of 3 days) or in case there is no necessary part required to make vehicles can be used in Nissan's parts warehouse and the Company does not confirm the purchase order within 24 hrs. of receipt. For both cases, the vehicle must be within the 3-year/100,000 km new-vehicle warranty period only, not extending to any other warranty extensions purchased or received, and any accident case is excluded. "Available for new vehicles within the 3-year/ 100,000 km warranty period or Free 6 months of roadside assistance is available for vehicles of which new-vehicle warranty period is expired but the vehicle continues to receive periodic maintenance service at our service center and uses authentic Nissan parts but not including Nissan's authentic alternative parts. I Subject to the terms and conditions specified by the Company.